

# Power Relocation & Cable Management

## Power Relocation Kit



**22APJW-7R**



- Easiest Installation - 1-Piece Design
- 1.5" Recessed depth
- Feed power remotely to your HDTV flat panel and hide cables behind the wall
- Protect HDTV flat panel with remote surge protection near your A/V gear & equipment
- Pre-wired - no electrician required
- Perfect for retro-fit construction projects
- Power Rating 15A, 125V
- Meets NEC Code
- UL Rated 817D, CSA STD 22.2 42.1-00

Kit includes:

- 7 ft. Pre-wired Premise Powered Power Feed (qty 1)
- 2-Gang All-in-One Recessed Boxes (qty 2)
- 1-Gang Décor Brush Plates (qty 2)
- 6 ft. Right Angle IEC 60320 CY13 to NEMA 5-13P Cord Set (qty 1)

## Power Relocation Kit with Metal Clad Wire



**22APJW-7R-MC**



Fastens with Just 2  
Mounting Screws



Décor Straps Install From  
Behind

Kit includes:

As above model 22APJW-7R, but with metal clad power feed cable.

**daveco**<sup>®</sup>

Authorized Canadian Distributor:

5720 Ferrier, Montreal, Qc, Canada, H4P 1M7

Tel.: (800) 461-2112 ♦ Fax.: (514) 342-7876 ♦ info@davecohifi.com

**MIDLITE**<sup>®</sup>  
QUALITY CUSTOM PRODUCTS

1/8

## Power Relocation & Cable Management

### Sound Bar Power Relocation Kit with Interconnect



**M2PJCSW3**

**Kit includes:**

- 2-Gang Pocket Plate with Pre-installed Décor Brush Plate (qty 1)
- 1-Gang Pocket Plate (qty 1)
- Overmolded IEC Power Inlet (qty 1)
- Overmolded Décor Receptacle (qty 1)

- The Power Jumper IC™ Sound Bar Power Relocation Kit easily conceals power & A/V cables within the wall for a sound bar
- The kit is pre-wired, recessed and features are a low profile in-wall jumper that can simply be fed behind the wall and through 1" diameter holes

- 3' Interconnect Jumper (qty 1)
- 2" Speedport with Grommet (qty 1)
- 1' Right Angle IEC Power Cord (qty 1)
- Receptacle Mounting Screw #8 5/16 (qty 6)
- Interconnect Strain Relief Bracket (qty 1)

### HDTV and Sound Bar Power Relocation Kit with Interconnect



**M2PJCTVSW5**

**Kit includes:**

- 2-Gang Recessed Box with Décor Brush (qty 2)
- 1-Gang Recessed Box (qty 1)
- 2" SPEEDPORT™ with Grommet (qty 1)
- Overmolded HDTV Receptacle (qty 1)
- Overmolded Sound Bar Receptacle (qty 1)
- Overmolded IEC Power Inlet (qty 1)

- The Power Jumper IC™ Sound Bar Power Relocation Kit easily conceals power & A/V cables within the wall for a flat panel display and sound bar
- The kit is pre-wired, recessed and features are a low profile in-wall jumper that can simply be fed behind the wall and through 1" diameter holes

- 3' Interconnect Jumper (qty 1)
- 5' Interconnect Jumper (qty 1)
- 6' Right Angle IEC Power Cord (qty 2)
- Interconnect Mounting Screws (qty 14)
- Interconnect Strain Relief Bracket (qty 4)

## Power Relocation & Cable Management

### **HDTV Power Relocation Kit with 5' Interconnect**



**M2PJCTVW5**

- The Power Jumper IC™ HDTV Power Relocation Kit easily conceals power & A/V cables within the wall for a flat panel display
- The kit is pre-wired, recessed and features are a low profile in-wall jumper that can simply be fed behind the wall and through 1" diameter holes

**Kit includes:**

- 2-Gang Pocket Plate with Pre-installed Décor Brush Plate (qty 2)
- Overmolded Décor Receptacle (qty 1)
- Overmolded IEC Power Inlet (qty 1)
- 5' Interconnect Jumper (qty 1)
- 6' Right Angle IEC Power Cord (qty 1)
- Mounting Screw #8 5/16 (qty 8)
- Interconnect Strain Relief Bracket (qty 1)

### **HDTV Power Relocation Kit with 15' Interconnect**



**M2PJCTVW15**

- The Power Jumper IC™ HDTV Power Relocation Kit easily conceals power & A/V cables within the wall for a flat panel display
- The kit is pre-wired, recessed and features are a low profile in-wall jumper that can simply be fed behind the wall and through 1" diameter holes

**Kit includes:**

- 2-Gang Pocket Plate with Pre-installed Décor Brush Plate (qty 2)
- Overmolded Décor Receptacle (qty 1)
- Overmolded IEC Power Inlet (qty 1)
- 15' Interconnect Jumper (qty 1)
- 6' Right Angle IEC Power Cord (qty 1)
- Mounting Screw #8 5/16 (qty 8)
- Interconnect Strain Relief Bracket (qty 1)

**daveco**®

Authorized Canadian Distributor:

5720 Ferrier, Montreal, Qc, Canada, H4P 1M7

Tel.: (800) 461-2112 ♦ Fax.: (514) 342-7876 ♦ info@davecohifi.com

**MIDLITE**®  
QUALITY CUSTOM PRODUCTS

**3/8**

# Power Relocation & Cable Management

## Double Gang Décor In-Wall Power Solution Kit



**2A46-W**

- Feed power remotely to your HDTV and hide cables behind the wall
- Gang together keystone décor plates and build your own custom power & low voltage combinations
- ETL Listed Conforms to UL STD 514D and Certified CSA STD 22.2 42.1-00
- Perfect for retro-fit construction projects
- Power Rating 15A, 125V, 5 yr warranty

### Kit includes:

- 1-Gang Décor Recessed Receptacle (qty 1)
- 1-Gang Décor Recessed Power Inlet (qty 1)
- Décor-Style Wireport™ Plate (qty 2)
- Double Gang Décor Wall Plate (qty 2)
- 2-Gang Dual Voltage Retro Work boxes (qty 2)
- 14 gauge, 15 amp White Power Cord (qty 1)

## Recessed Receptacle Hi-Low Kit and Wireport™ Plate with Grommet

- Feed power remotely to your HDTV and hide cables behind the wall
- Protect HDTV flat panel with remote surge protection near your A/V gear and equipment
- Plates separate for easy installation of power separate from low voltage cables
- Deepest recessed depth available
- ETL Listed Conforms to UL STD 514D
- Certified CSA STD 22.2 42.1-00
- Power Rating 15A, 125V, 5 yr warranty



**A2GESR-W**

### Kit includes:

- 2-Gang Splitplate Recessed Receptacle and Wireport™ with Grommet (qty 1)
- 2-Gang Splitplate Power Inlet and Wireport™ with Grommet (qty 1)
- 2-Gang Dual Voltage Retro Work PVC boxes (qty 2)
- 14 gauge, 15 amp Power Cord (qty 1)

**daveco**®

Authorized Canadian Distributor:

5720 Ferrier, Montreal, Qc, Canada, H4P 1M7

Tel.: (800) 461-2112 ♦ Fax.: (514) 342-7876 ♦ info@davecohi-fi.com

**MIDLITE**®  
QUALITY CUSTOM PRODUCTS

4/8

# Power Relocation & Cable Management

## Décor In-Wall Power Components

Décor power modules for custom build of wall plates with décor keystone inserts

- Gang together keystone décor plates and build custom plate connector combinations
- Power Rating 15A, 125V, 5 year warranty
- ETL Listed Conforms to UL STD 514D and Certified CSA STD 22.2 42.1-00



**4641-W**

Décor Recessed Receptacle Décor  
Recessed Power Inlet



**4642-W**

Décor Recessed Power Inlet

## In-Wall Cable Management

- Use for any Low Voltage Cabling, A/V, Telecom or Networking application
- Conceal Sound Bar & A/V cables behind the wall
- Ultra Low Profile
- The grommet insert only opens where cabling is present and maintains a closed clean area
- Screws hidden behind grommet



Plate Size  
 $2\frac{5}{16}''$   
Hole Size  
2"

**1SP-W (White)**  
**R1SP-B (Black)**

(Sold in packs of 10 only)



Quick & Simple Installation

Plate Size  
 $2\frac{3}{4}''$   
Hole Size  
 $2\frac{3}{8}''$

**R2SP-W (White)**  
**R2SP-B (Black)**

(Sold in packs of 5 only)



**daveco**<sup>®</sup>

Authorized Canadian Distributor:

5720 Ferrier, Montreal, Qc, Canada, H4P 1M7

Tel.: (800) 461-2112 ♦ Fax.: (514) 342-7876 ♦ info@davecohifi.com

**MIDLITE**<sup>®</sup>  
QUALITY CUSTOM PRODUCTS

**5/8**

# In-Wall Cable Management

## Décor Brush Plate

- Offers a clean on-wall cable management pass through
- Used where A/V cables pass through the wall such as behind flat panel HDTVs and head end A/V gear
- By eliminating the connectors at the wall, the installer reduces labor and material costs, while improving signal integrity
- Cables can be fed from the floor up and the ceiling down with ease
- Attaches to standard 1-gang or 2-gang low voltage backless boxes



**DBPWH**  
(White Brush)



**DBPBK**  
(Black Brush)

## Wireport™ Wall Plates

- Used where A/V cables pass through the wall such as behind flat panel HDTVs and head end A/V gear
- By eliminating the connectors at the wall, the installer reduces labor and material costs and improves signal integrity
- Cables can be fed from the floor up and the ceiling down with ease
- Attaches to standard 1-gang and 2-gang low voltage backless boxes



Hole Size  
1.56"

**1GWH**



Hole Size  
1.8"

**2GWH**

**daveco**®

Authorized Canadian Distributor:  
5720 Ferrier, Montreal, Qc, Canada, H4P 1M7  
Tel.: (800) 461-2112 ♦ Fax.: (514) 342-7876 ♦ info@davecohiifi.com

**MIDLITE**®  
QUALITY CUSTOM PRODUCTS

6/8



# In-Wall Cable Management

## Wireport™ Wall Plates with Grommet

- Used where A/V cables pass through the wall such as behind flat panel HDTVs and head end A/V gear
- Attaches to standard 1-gang and 2-gang low voltage backless boxes
- The grommet insert only opens where cabling is present and maintains a closed clean appearance
- Cables can be fed from the floor up and the ceiling down with ease



Hole Size  
1.425"

1GWH-GR1

Hole Size  
1.8"



2GWH-GR2

## Splitport™ Wall Plates

- Used where A/V cables pass through the wall such as behind flat panel HDTV and head end A/V gear
- Attaches to standard 1-gang low voltage backless boxes
- Patented keyed-tab feature holds plate together
- Allows easy installation in applications where cabling is already connected to equipment



Hole Size  
1.4"

1GSWH



Hole Size  
1.8"



2GSWH

**daveco**®

Authorized Canadian Distributor:

5720 Ferrier, Montreal, Qc, Canada, H4P 1M7

Tel.: (800) 461-2112 ♦ Fax.: (514) 342-7876 ♦ info@davecohifi.com

**MIDLITE**®  
QUALITY CUSTOM PRODUCTS

7/8

# SplitPort & Cable Vent

## Splitport™ Wall Plates

- Used where A/V cables pass through the wall such as behind flat panel HDTV and head end A/V gear
- Contractor size (3.15" w x 4.91" h) wall plate to cover up all surface imperfections surrounding low voltage box edges
- Attaches to standard 1-gang low voltage backless boxes
- Patented keyed-tab feature holds plate together
- Allows easy installation in applications where cabling is already connected to equipment

### Contractor wall plate size (3.15" w x 4.91" h)



Hole Size  
1.4"

1GSPWH



Hole Size  
1.4"



1GSPWH-GR10

## Cable Vent

- Reversible vent design. Rotate the Cable Vent™ for a front facing or rear facing installation
- Used where A/V cables pass through the wall such as behind flat panel HDTVs and head end A/V gear
- Attaches to standard 1-gang low voltage backless boxes
- Patented keyed-tab feature holds plate together
- Allows easy installation in applications

Hole Size  
1.4" x 1.12"



1GCV-WH

**daveco**®

Authorized Canadian Distributor:

5720 Ferrier, Montreal, Qc, Canada, H4P 1M7

Tel.: (800) 461-2112 ♦ Fax.: (514) 342-7876 ♦ info@davecohifi.com

**MIDLITE**®  
QUALITY CUSTOM PRODUCTS

8/8




# Power Jumper IC™

## Midlite Speaker Mount for Sonos and In-Wall Power Solution

- Utilizing the Power Jumper IC™ in-wall interconnect and the Speedport™ SC the SONOS® Speaker Mount and In-Wall Power Solution is the perfect tool when installing wall mounted wireless speakers
- The Power Jumper IC™ in-wall interconnects provide easy power relocation that does not require an electrician. By simply inserting the two ends together and fastening with a strain relief bracket, power is secured within the wall and hidden from view
- The mounting solution is compatible with any 1/4-20 mounted speaker and will tighten both into the speaker and into the Speedport™ when fastened. Additional low voltage cables such as Cat5 can also be passed through the Speedport™



**C7HS-W (White)**  
**C7HS-B (Black)**



**daveco**®

DNPR457

Authorized Canadian Distributor:

5720 Ferrier, Montreal Qc, Canada H4P 1M7

Tel.: (800) 461-2112 ♦ Fax.: (514) 342-7876 ♦ info@davecohifi.com

**MIDLITE**®  
QUALITY CUSTOM PRODUCTS

**C7HS**